

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L23	128	weight\$3 near3 (recent\$2) with (location\$3 position\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/08/19 15:25
L24	84	23 and ((@ad<"20040303") or (@rlad<"20040303"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 15:25
L25	5	24 and (455/4\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 15:25
S1	1	"10591370"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 12:42
S2	1561	((location\$3 or position\$3) and (illuminat\$3 or light\$3) and unique).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 12:44
S3	1	S1 and (mobile wireless portable cell\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 12:45
S4	426	((location\$3 or position\$3) same (illuminat\$3 or light\$3) same unique) and (server with (location\$3 or position\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 12:51
S5	89	S4 and (mobile wireless portable cell\$4).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 12:52
S6	38	S5 and ((@ad<"20050303") or (@rlad<"20050301"))	US-PGPUB; USPAT;	OR	ON	2011/01/18 12:52

			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S7	1830	((location\$3 or position\$3) with (mobile cell\$4 portable wireless)) same (illuminat\$3 or light\$3) and (server with (location\$3 or position\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 12:54
S8	753	S7 and ((location\$3 or position\$3) with (unique or id or identifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 12:55
S9	501	((((location\$3 or position\$3) with (illuminat\$3 or light\$3)) same (unique id identifier)) and (server with (location\$3 or position\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 13:01
S10	152	S9 and (mobile wireless portable cell\$4).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 13:02
S11	89	S10 and ((@ad<"20050303") or (@rlad<"20050301"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 13:02
S12	171	((((location\$3 or position\$3) with (illuminat\$3 or light\$3)) same (unique)) and (server with (location\$3 or position\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 13:02
S13	37	S12 and (mobile wireless portable cell\$4).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 13:02
S14	14	S13 and ((@ad<"20050303") or (@rlad<"20050301"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 13:03
S15	34	"6175308"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 13:04
S16	10	"7006768"	US-PGPUB; USPAT;	OR	ON	2011/01/18 13:05

			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S17	13456	398/1\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 13:07
S18	66	(398/1\$.ccls.) and (server with (location\$3 or position\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 13:07
S19	40	S18 and ((@ad< "20050303") or (@rlad< "20050301"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 13:07
S20	19	S19 and ((location\$3 or position\$3) with (mobile cell\$4 portable wireless))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 13:08
S21	8101	(lamp or ((illuminat\$3 or light\$3) near2 (device apparatus)) with (unique or id or identifier)) same ((location\$3 or position\$3) with (mobile cell\$4 portable wireless))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 13:18
S22	82	S21 and (server with (location\$3 or position\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 13:19
S23	38	S22 and ((@ad< "20050303") or (@rlad< "20050301"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 13:23
S24	8059	(lamp or ((illuminat\$3 or light\$3) near2 (assembly or fixture)) with (unique or id or identifier)) same ((location\$3 or position\$3) with (mobile cell\$4 portable wireless))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 13:29
S25	83	S24 and (server with (location\$3 or position\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 13:30
S26	41	S25 and ((@ad< "20050303") or (@rlad< "20050301"))	US-PGPUB; USPAT;	OR	ON	2011/01/18 13:30

			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S27	1665	((lamp or illuminat\$3 or light\$3) with (unique or id or identifier)) same ((location\$3 or position\$3) with (mobile cell\$4 portable wireless))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 13:32
S28	55	S27 and (server with (location\$3 or position\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 13:33
S29	27	S28 and ((@ad<"20050303") or (@rlad<"20050301"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 13:33
S30	319	((lamp) with (unique or id or identifier)) same ((location\$3 or position\$3) with (mobile cell\$4 portable wireless))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 13:34
S31	3	S30 and (server with (location\$3 or position\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 13:34
S32	0	S31 and ((@ad<"20050303") or (@rlad<"20050301"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/18 13:34
S33	1	"10591370"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/12 17:06
S34	34	"6175308"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/12 17:07
S35	14	S34 and updat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/12 17:10
S36	1	S33 and accura\$2	US-PGPUB; USPAT;	OR	ON	2011/02/12 17:14

			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S37	1	S33 and accurate\$2 and reacquir\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/12 17:14
S38	9	S34 and error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/12 17:16
S39	11	"7006768"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/12 18:25
S40	35	"6175308"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/08/16 15:31
S41	74	"5917425"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/08/16 15:31
S44	14	"6768909"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/08/16 15:46
S45	35	398/1\$.cls. and weight\$3 same ((reception receiv\$3) with time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/08/16 20:13
S46	22	S45 and ((@ad<"20050303") or (@rlad<"20050301"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/16 20:13
S47	431	((id identifier identify\$3) same illuminate\$3) and (weight\$3 same ((reception receiv\$3) with time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/08/16 20:17
S48	312	S47 and ((@ad<"20050303") or (@rlad<"20050301"))	US-PGPUB; USPAT;	OR	ON	2011/08/16 20:17

			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S49	426	((id identifier identify\$3) same illuminat\$3) and (weight\$3 same ((reception receiv\$3) with time)) and (location position\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/08/16 20:18
S50	426	((id identifier identify\$3) same illuminat\$3) and (weight\$3 same ((reception receiv\$3) with time)) and (location\$3 position\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/08/16 20:18
S51	311	S50 and ((@ad<"20050303") or (@rlad<"20050301"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/16 20:18
S52	9	((id identifier identify\$3) same illuminat\$3) and (weight\$3 same ((reception receiv\$3) with time)) and (location position\$3) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/08/16 20:18
S53	5	S52 and ((@ad<"20050303") or (@rlad<"20050301"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/16 20:19
S54	83	(id identifier identify\$3) same (weight\$3 same ((reception receiv\$3) with time)) and (location position\$3) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/08/16 20:27
S55	39	S54 and ((@ad<"20050303") or (@rlad<"20050301"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/16 20:27
S56	6	((lamp or illuminat\$3) with (id identifier identify\$3)) and (weight\$3 same ((reception receiv\$3) with time)) and (location position\$3) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/08/16 20:31
S57	2	S56 and ((@ad<"20050303") or (@rlad<"20050301"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/16 20:31
S58	2387	((lamp or illuminat\$3) same (location position\$3)) and	US-PGPUB; USPAT;	OR	OFF	2011/08/16 20:33

		"455"/\$.ccls.	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S59	232	(lamp or illuminat\$3) same ((location position\$3) with mobile) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/08/16 20:33
S60	118	S59 and ((@ad<"20050303") or (@rlad<"20050301"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/16 20:34
S61	127	(lamp or illuminat\$3) same ((location position\$3) with mobile) and "455"/4\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/08/16 20:34
S62	76	S61 and ((@ad<"20050303") or (@rlad<"20050301"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/16 20:34
S63	39	(lamp) same ((location position\$3) with mobile) and "455"/4\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/08/16 20:35
S64	25	S63 and ((@ad<"20050303") or (@rlad<"20050301"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/16 20:35
S65	8	(lamp) same ((location position\$3) near3 mobile) and "455"/4\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/08/16 20:36
S66	6	S65 and ((@ad<"20050303") or (@rlad<"20050301"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/16 20:36
S67	34	(illuminat\$3) same ((location position\$3) near3 mobile) and "455"/4\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/08/16 20:38
S68	30	S67 and ((@ad<"20050303") or (@rlad<"20050301"))	US-PGPUB; USPAT;	OR	ON	2011/08/16 20:38

			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S69	1123	(illuminat\$3 lamp ballast light) with (number or id or identifier or identification).ab. and ((location position\$3) with (mobile wireless portable cell\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/08/16 20:43
S70	469	(illuminat\$3 lamp ballast light) with (number or id or identifier or identification).ab. and ((location position\$3) with (mobile wireless portable cell\$4)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/08/16 20:43
S71	195	(illuminat\$3 lamp ballast light) with (number or id or identifier or identification).ab. and ((location position\$3) with (mobile wireless portable)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/08/16 20:43
S72	94	S71 and ((@ad<"20050303") or (@rlad<"20050301"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/16 20:43
S73	8	S72 and (("455"/\$.ccls.) or ("370"/\$.ccls.) or ("348"/\$.ccls.) or ("398"/\$.ccls.) or ("340"/\$.ccls.))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/16 20:45
S79	98	(lamp).ab. and ((location position\$3) with (mobile wireless portable) near2 (device terminal apparatus)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/08/16 20:55
S80	3	S79 and (("455"/\$.ccls.) or ("370"/\$.ccls.) or ("348"/\$.ccls.) or ("398"/\$.ccls.) or ("340"/\$.ccls.))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/16 20:55
S81	2	S80 and ((@ad<"20050303") or (@rlad<"20050301"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/16 20:55
S82	5	(ballast).ab. and ((location position\$3) with (mobile wireless portable) near2 (device terminal apparatus)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/08/16 20:55
S83	4	S82 and ((@ad<"20050303") or (@rlad<"20050301"))	US-PGPUB; USPAT;	OR	ON	2011/08/16 20:56

			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S91	41	(location\$3 position\$3) same (mobile wireless portable pda pager cell\$4) and ((select\$3 near2 between) with (positioning locationing) adj3 (system device apparatus))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/18 18:25
S92	26	S91 and ((@ad<"20050303") or (@rlad<"20050301"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/18 18:25
S93	2	"20060015503"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/08/18 21:14
S94	1	"10591370"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/08/18 21:22
S95	131	(location\$3 position\$3) same (mobile wireless portable pda pager cell\$4) and (weight with (id identifier) with (interval period))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/18 21:30
S96	45	S95 and ((@ad<"20040303") or (@rlad<"20040303"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/18 21:33
S97	3	weight\$3 with (id or identifier) with (reception near2 time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/08/19 10:14
S98	0	S97 and ((@ad<"20040303") or (@rlad<"20040303"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 10:14
S99	723	(location\$3 position\$3) same (mobile wireless portable pda pager cell\$4) and (weight with (receiv\$3 or reception) with (interval period))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 10:17
S100	207	(location\$3 position\$3) same (mobile wireless portable pda pager	US-PGPUB; USPAT;	OR	ON	2011/08/19 10:44

		cell\$4) and (weight with (receiv\$3 or reception) near3 (interval period))	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S101	720	((location\$3 position\$3) same (mobile wireless portable pda pager cell\$4) and (weight with (receiv\$3 or reception) near3 (time interval period))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 10:45
S102	18	((location\$3 position\$3) same (mobile wireless portable pda pager cell\$4) and ((location\$3 position\$3) same (weight with (receiv\$3 or reception) near3 (interval period)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 10:46
S103	109	((location\$3 position\$3) same (mobile wireless portable pda pager cell\$4) and ((location\$3 position\$3) same (weight with (receiv\$3 or reception) near3 (interval period time)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 10:46
S104	36	S103 and ((@ad<"20040303") or (@rlad<"20040303"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 10:47
S105	2	S104 and (455/4\$.cls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 10:47
S106	142	((location\$3 position\$3) and (mobile wireless portable pda pager cell\$4)) and ((location\$3 position\$3) same (weight with (receiv\$3 or reception) near3 (interval period time)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 10:51
S107	12	S106 and (455/4\$.cls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 10:52
S109	255	((location\$3 position\$3) and (mobile wireless portable pda pager cell\$4)) and ((location\$3 position\$3) same (weight with (id identifier) with (interval period time\$5)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 10:53
S110	4	S109 and (455/4\$.cls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 10:54
S111	2	S110 and ((@ad<"20040303") or (@rlad<"20040303"))	US-PGPUB; USPAT;	OR	ON	2011/08/19 10:54

			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S112	29	((location\$3 position\$3) same (mobile wireless portable pda pager cell\$4) near2 (device terminal apparatus) same (weight\$3 with (receiv\$3 or reception) near3 (time)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 11:02
S113	3	S112 and ((@ad<"20040303") or (@rlad<"20040303"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 11:03
S114	192	((location\$3 position\$3) same (device terminal apparatus) same (weight\$3 with (receiv\$3 or reception) near3 (time)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 11:05
S115	57	S114 and ((@ad<"20040303") or (@rlad<"20040303"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 11:05
S116	451	((location\$3 position\$3) same (weight\$3 with (receiv\$3 or reception) near3 (time)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 11:09
S117	201	S116 and ((@ad<"20040303") or (@rlad<"20040303"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 11:09
S118	269	((location\$3 position\$3) with (weight\$3 with (receiv\$3 or reception) near3 (time)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 11:09
S119	142	S118 and ((@ad<"20040303") or (@rlad<"20040303"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 11:10
S120	6	S119 and (455/4\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 11:10
S121	0	second with positoning with wlan	US-PGPUB; USPAT;	OR	ON	2011/08/19 12:41

			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S122	0	second with (positoning or locationing) with wlan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 12:41
S123	0	second with (positoning or locationing) with (wlan or (local near2 area))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 12:41
S124	0	second with (positoning or locationing) with (wlan or (local near2 area) or lan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 12:42
S125	198	second with (positioning or locationing) with (wlan or (local near2 area) or lan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 12:42
S126	58	second with positioning with wlan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 12:42
S127	17	S126 and (((@ad<"20040303") or (@rlad<"20040303"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 12:43
S128	20	second near3 (positioning or locationing) with (wlan or (local near2 area) or lan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 12:44
S129	8	S128 and (((@ad<"20040303") or (@rlad<"20040303"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/19 12:44